

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(fire adj1 wall adj2 (server apparatus computer device)).ti.) and (cach\$4 with (service\$1 near2 request\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:46
		(fire adj1 wall adj2 (server apparatus computer device)).ti.) and (cach\$4 with (service\$1 near2 request\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:45
		S52 and collect\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:31
		S46 and (select\$ near2 (destination with (device apparatus client computer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:00
		S32 and (log register\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:04
		S24 and (obtain retrieve\$3) adj3 (data information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 08:54
L1	3	((("5935207") or ("6643778") or ("6535509")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/10 17:32
S4	11262	709/200,201-203,217,238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:43

S5	4531	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:18
S6	926	719/313,314,311,330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:19
S7	5226	712/220-248.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:20
S9	21435	S4 S5 S6 S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:21
S10	34	S9 AND PROXY ADJ (APPARATUS DEVICE SERVER COMPUTER).TI.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:25
S12	1067	S9 AND PROXY AND LOG\$4 AND INSTRUCT\$4 AND CONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:23
S13	221	S12 AND CLIENT AND SERVER AND AGGREGAT\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 15:23
S14	11262	709/200,201-203,217,238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 13:02

S15	4531	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 13:02
S16	926	719/313,314,311,330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 13:02
S17	5226	712/220-248.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 13:02
S18	21435	S14 S15 S16 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 13:02
S19	129	S18 AND PROXY.TI.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 13:02
S20	78951	(agent intermediate filter firewall gateway cache) adj2(server device apparatus computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:53
S21	1	S20 and (receives with client with request with issues with obtains)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:53
S22	86	S20 and (receives adj2 client adj3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:54

S23	83650	(proxy agent intermediate filter firewall gateway cache) adj2(server device apparatus computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:53
S24	118	S23 and (receives adj2 client adj3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:54
S25	0	S24 and (issues and (obtain retrieve) adj3 (data information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:56
S26	0	S24 and (issues and (obtain retrieve43) adj3 (data information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:56
S27	0	S24 and (issues and (obtain retrieve\$3) adj3 (data information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:56
S28	52	S24 and (obtain retrieve\$3) adj3 (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 09:59
S29	0	S28 and (register save store) adj3 (instruction definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 16:58
S30	83758	(proxy agent intermediate filter firewall gateway cache) adj2(server device apparatus computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:04

S31	118	S30 and (receives adj2 client adj3 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:44
S32	52	S31 and (obtain retrieve\$3) adj3 (data information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:00
S33	24	S32 and (log register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:00
S34	13	S32 and (log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:40
S35	5	S34 and (tag mark instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:05
S36	5741	S30 and "proxy server"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:46
S37	215	S36 and ((aggregat\$4 combin\$5 summa\$7) near2 result\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:48
S38	56	S37 and ((log\$4 gather\$4 register\$4) near2 (activit\$4 actions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:50

S39	0	S38 and ((schedul\$5 calendar\$6 arrang\$5) near2 (activit\$4 actions))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:52
S40	50	S38 and schedul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 10:52
S41	42	S38 and schedul\$5 with (activit\$4 action\$4 intruction\$3 operation\$2 executi\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 11:17
S42	239	proxy.ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:21
S43	239	proxy.ti. and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 12:34
S44	177395	S43 schedul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 12:37
S45	33	S43 and schedul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 15:30
S46	26	((document adj2 managin.ti.) (document adj2 flow.ti.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:04

S47	7254	proxi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:21
S48	3	S47 and Queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:23
S49	17908	proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:24
S50	315	S49 and request adj2 Queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:24
S51	7	S50 and sav\$4 adj2 (request\$1 instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:31
S52	1	S51 and "6615258"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:31
S53	0	S52 and collect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:31
S54	0	S52 and aggreg\$%	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:32

S55	1	S52 and aggreg\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 16:32
S56	0	combining with (fire\$1wall and cache) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:40
S57	0	combines with (fire\$1wall and cache) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:41
S58	0	combines with ((fire adj wall) and cache) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:41
S59	0	combines with ((fire adj wall) and cache) with function\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:42
S60	0	combines with ((fire adj wall) and cache) with function\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:42
S61	0	combines with ((fire adj wall) and cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:42
S62	0	combines near ((fire adj wall) and cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:42

S63	0	combines near3 ((fire adj wall) and cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:46
S64	0	combines near3 ((fire adj wall) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 11:49
S65	3	((fire adj wall) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:06
S66	3	((fire adj1 wall) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 12:07
S67	0	(fire adj1 wall adj2 (server apparatus computer device)).ti. and (cach\$4 with (service\$1 near2 request\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:04
S68	15	(fire adj1 wall adj2 (server apparatus computer device)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 13:51
S69	12	"firewall server".ti. OR "fire wall server".ti. OR "fire-wall server".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:01
S70	86	"firewall server".BSUM. OR "fire wall server".BSUM. OR "fire-wall server".BSUM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:08

S71	0	S70 and (cach\$4 with (service\$1 near2 request\$1)).BSUM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:09
S72	9	S70 and (cach\$4).BSUM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:06
S73	0	S70 and (access WITH log).BSUM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:06
S74	1472	"proxy server".BSUM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:08
S75	36	S74 and (cach\$4 with (service\$1 near2 request\$1)).BSUM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:09
S76	1	("5626786").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/09 08:58
S77	1	("5826786").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/09 09:16
S78	0	("8656924").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/09 09:18
S79	1	("5918013").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/09 11:08
S80	2451	store\$5 adj3 request\$2 with (Service HTTP\$1 proxy Cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:12

S81	478	(store\$5 save\$4) adj3 (request\$2 near2 service\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:14
S82	1	((store\$5 save\$4) adj3 (request\$2 near2 service\$2)) with (proxy adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:16
S83	0	((store\$5 save\$4) adj3 (request\$2 near2 service\$2)) same (proxy adj server)) AND (NOT S82)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:17
S84	1	((store\$5 save\$4) adj3 (request\$2 near2 service\$2)) same (proxy adj server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:17
S85	7	((store\$5 save\$4) adj3 (request\$2 near2 service\$2)) and (proxy adj server).BSUM.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:17
S86	2	(("5935207") or ("6643778")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/10 17:31